

Introducing the ALL-NEW



AUSTRALIAN MADĚ

DESIGNED FOR AUSTRALIA

JTRAK has been designed with avid campers in mind. The quick and easy set-up is the key feature of Jayco's first tent trailer, along with an inflatable annex option, exclusive to Jayco.

JTRAK is the first Jayco product to showcase the new generation of Jayco chassis with JTech 2.0 suspension. JTech 2.0 is designed specifically for off-road adventures which means you can venture further with confidence. Choose from four JTRAK models to suit you, your family and your mates.

QUICK AND EASY **SET-UP**

WIND DOWN THE STABILISING LEGS AND UNCLIP THE TOUGH-LOCK LATCHES




*Winch not available on touring model

HOOK THE WINCH AND WIND THE HARD LID WHILE THE TENT SECTION UNFOLDS ITSELF



PUSH THE BED END POLES INTO PLACE ON THE INSIDE OF THE JTRAK AND START YOUR ADVENTURE



200,000+ UNITS BOUGHT, SOLD & SUPPORTEDBY AUSTRALIA'S LARGEST MANUFACTURER







ed and made Australia



2-year manufacturer's warranty 5-year structural warranty



Over 100 service agents nationwide



43-years' experience

JAYCO.COM.AU | 1300 JAYCO RV

ayco Corporation owns the copyright in this brochure. Unauthorised use, reproduction or adaptation is fordden and will be prosecuted. Due to ongoing improvement, the specifications in this brochure are subject to change without notice. ©JAYCO 2018 PO Box 636 Dandenong VIC Australia 3175.

erms & conditions available at jayco.com.au

AUSTRALIAN MADE



Like all Jayco products, the JTRAK tent trailer proudly holds the Australian Made logo, certifying it as genuine Aussie-made, helping sustain Australian jobs and ensuring the best quality.



Purpose built for the rugged Australian conditions, the all-new JTRAK tent trailer is manufactured in Jayco's world-class manufacturing plant in Dandenong, Victoria.

Every aspect of the JTRAK tent trailer is engineered and validated by the Victoria-based Jayco Research and Design team. All JTRAK parts are processed, quality-approved and assembled into finished product at the Jayco manufacturing plant.







The chassis, suspension, internal furniture and upholstery are produced in Jayco's manufacturing plant. To support Australian manufacturers, JTRAK electricals, decals and the tent are sourced locally.

As part of the Jayco Testing Program, JTRAK has undergone weeks of testing on the same ground where major automotive and truck manufacturers, and suppliers to the Australian Defence Force test their vehicles.











EXCLUSIVE TO JAYCO: Inflatable annex







2-Year manufacturer's + 5-Year structural warranty

JTRAK FEATURES


TR TRX OB OBX

	IK	IKA	UD	UDA	
Appliances					
Cooktop - 3-burner to external kitchen (with flame failure device)	•	•	•	•	
Comfort					
Dinette seating with durable designer fabric	•	•	•	•	
Mattress - innerspring	0	0	0	0	
Seat foam - highly resilient with antibacterial finish	•	•	•	•	
Construction					
Chassis - main members 4" x 2"	•	•	•	•	
Chassis - streamline hot-dip-galvanised	•	•	•	•	
Furniture - Euro-style with aluminium corners & seat framing	•	•	•	•	
Walls - smooth skin gunmetal grey clad	•	•	•	•	
Exterior General					
Anderson plug to A-frame	•	•	•	•	
Boot - front compartment	-	-	•	•	
Coupling - 50 mm ball	•	•	-	-	
Coupling - Trigg shock-proof swivel	-	-	•	•	
Fridge compartment to main storage box with slide	•	•	•	•	
Gas bayonet x 2	•	•	•	•	
Gas bottle 1 x 9 kg (2 x 9 kg to Outback)	•	•	•	•	
Inflatable annex with built-in LED lights	0	0	0	0	
Jacks - corner supports AL-KO drop	•	•	•	•	
Jerry can holder x 1 (2 x on Outback)	•	•	•	•	
Jockey wheel	•	•	•	•	
Mudflaps - Jayco	•	•	•	•	
Plug car 7-pin	•	•	•	•	
Power - 3 x 12 v sockets and 2 x USB ports	•	•	•	•	
Roofrack	-	-	-	•	
Sink with cold water tap		•	•	•	

	TR	TRX	ОВ	OBX
Solar wiring provision	_	_	•	•
Storage box - Large with heavy-duty seals and slide-out trays	-	-	•	•
Storage box - Small with heavy-duty seals and slide-out trays	•	•	-	-
Tap - 12 v pump to sink	-	•	•	•
Tap - mains pressure to sink	•	-	_	-
Tent section - 10 oz double-stitched, heavy-duty Australian canvas	•	•	•	•
Water filler - lockable	_	•	•	•
Water tank - 1 x 65 l under floor with guard	_	•	•	-
Water tank - additional 65 l with guard	_	-	_	•
Wheels - 14" 185/70R14 with single spare	•	•	_	-
Wheels - 15" 235/70R15 with single spare	-	-	•	-
Wheels - 16" 245/70R16 with dual spares	-	-	_	•
Wheels - nitrogen-filled	•	•	•	•
Interior General				
Battery - 100 amp deep cycle	-	•	•	-
Battery - 12 v/240 v management system	•	•	•	•
Battery - 2 x 100 amp deep cycle	-	-	_	•
Bed converter	•	•	•	•
Control panel - switches	•	•	•	•
Control panel - water and battery gauge	-	•	•	•
Lights - ceiling 12 v LED	•	•	•	•
Safety				
Brakes - electric	•	•	•	•
Suspension - axle & leaf springs	•	•	-	-
Suspension - JTECH 2.0 Independent Coil		_		•
Suspension				
	_	•	•	•

Standard

OptionalNot available



	TR	TRX	OB	OBX
Body (L) (mm)	4800	4800	5100	5250
Body (W) (mm)	1900	1900	1900	2015
Front bed (W) (mm)	1600	1600	1600	1600
Front bed (L) (mm)	1940	1940	1940	1940
Rear bed (W) (mm)	1700	1700	1700	1700
Rear bed (L) (mm)	1400	1400	1400	1400
Open (L)	4800	4800	5100	5250
SINGLE AXLE	TR	TRX	OB	OBX
Tare weight (kg)	950	1015	1200	1400
Tow ball (kg)	105	130	170	170
Travel (L) (mm)	4800	4800	5100	5250
Travel (H) (mm)	1450	1450	1500	1500
Interior (H) (mm)	2300	2300	2300	2300

