


The Jayco Pop Top really is...
...very clever.







Over four decades of Jayco's space saving ideas are packed into each pop top. These range from the incredible amount of surprisingly sizeable and accessible storage ideas to the multiple and comfortable living areas giving you privacy when you need it.

And it's all finished with Jayco's legendary craftsmanship, quality materials and superior construction.





TOUGH FRAME

Jayco's multilayered, vacuum-bonded walls are both stronger than those of conventional 'timber & tin' aluminium-clad caravans, and offer greater thermal and acoustic insulation. Journey Pop Top models feature our 5-layer system, comprising internal wall ply, insulation, aluminium frame, external 3 mm ply and high-gloss fibreglass exterior, as illustrated.


*Illustrations may show optional extras fitted to product



- Hail-and dent-resistant fibreglass exterior with a high gloss, gel coat finish
- External 3 mm plywood board to increase structural strength
- Aluminium frame not timber for extra strength and longevity, plus galvanised plating for secure fitment of internal furniture
- 4 Internal 3 mm plywood board, CE-coated for maximum durability
 - 5 Internal high-density polystyrene foam for superior insulation

ENDURANCE CHASSIS

A Jayco Pop Top is only as strong as the base on which it's built, so we build our Endurance Chassis to last like no other. Lightweight yet super strong, it's hot-dip galvanised for lifelong protection against corrosion, and features PSC member floor support, which better resists bending and compression, while also safeguarding under-floor wiring and plumbing.





At Jayco, we are committed to investing in newer, more advanced technology. This allows us greater flexibility in producing exciting new layouts. For example, our million-dollar investment in the custom Italian-built Double Edge banding machine allows us to maximise operational efficiency by edging two sides at once.

With over 12 CNC machines, Jayco has one of the most technologically advanced timber processing facilities in the RV industry.

And to top it off, Jayco's lamination press is situated in a world-first, dust-free, temperature controlled room, allowing for optimal lamination of the highest quality.



JAYCO FEATURES

Standard	d	bo	×	ring	back
O Optional	Freedom Pop Top	ourney Touring	ourney Outback	Journey DX Touring	Journey DX Outback
 Not available 	Jom F	ney Tc	ney 0	D D	D D
P Provision only	Free	Jour	Jour	Jour	Jour
Appliances					
Air conditioning - Truma Aventa roof top	•	•	•	•	•
Air conditioning - Truma Saphir under bed^	-	0	0	0	0
Cooktop - 4-burner oven with 1 x 240 V element	-	0	0	0	0
Cooktop - Smev 4-burner grill with 1 x 240 V hotplate (with flame failure device)	-	•	•	•	•
Cooktop - Spinflo 2-burner (with flame failure device)	•	-	-	_	-
Fridge - Dometic AES RM2555 148 L	-	-	-	•	
Fridge - Thetford N304 93 L 3-way	•	•		-	_
Fridge - Thetford N3185 174 L	-	-	_	0	0
Fridge - Thetford N504 164 L 3-way^	-	0	0	_	_
Hot water service - 22 L Gas/240 V^ (on shower models)	_	•		•	
Microwave	_	•	•		
Rangehood - 12 V LED light with twin fans	•	•	•	•	
Stereo - DV5700 CD/DVD/Radio with ext speakers	-	0	0		
TV Sensor Pro	P _	0	0	•	•
TV Sensor Pro TV/DVD - LED 12 V (22")	_	0	0	0	0
Comfort		0	0		
Bed linen - doona & pillows					
Beds - lift-up with storage & orthopaedic slats (extending 150 mm for double beds)	•	•	•	•	•
Dinette seating in genuine designer leather	_	0	0	0	0
Dinette seating in leatherette	_	0	0	0	0
Dinette seating with durable designer fabric & non-slip base	•	•	•	•	•
Mattress - innersprings (n/a bunk beds)	•	•	•	•	•
Seat Foam - highly resilient with antibacterial finish	•	•	•	•	•
Construction					
Construction Chassis - Endurance hot-dip galvanised	•	•	•	•	•
	•	•	•	•	•
Chassis - Endurance hot-dip galvanised	•	•	•	•	•
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2")	•	•	• •	•	•
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing	•	•	• • •	• • •	• • •
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad	•	•	• • •	•	• • •
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General	•	•	•	•	•
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent)	•	•	•	•	•
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light	•	•	•	•	• • • • •
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^	• • • • • • • • • • • • • • • • • • •	• • • • • • • •	•	-	-
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^	•	• • • • • • • • • • • • • • • • • • •	0	• - 0	• - 0
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted	• • • • • • • • • • • • • • • • • • •	0 0 0 0 -	0 0 -	• - 0	-
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage	• • • • • • • • • • • • • • • • • • •	0 0 0 0 0 0	00-•	• - O	• - 0
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models)	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	OO-O	• - 0 • •	• - 0
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels		• • • • • • • • • • • • • • • • • • •	• O O O - • • • • • • • • • • • • • • •	• - O •	• - O • - • • • • • • • • • • • • • • •
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	00-00	• - O •	• - 0 • - • • 0
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling		• • • • • • • • • • • • • • • • • • •	• O O O - • • • • • • • • • • • • • • •	• - 0 • • • • • • • • • • • • • • • •	• - O • - • • • • • • • • • • • • • • •
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet	• • • • • • • • • • • • • • • • • • •	0 0 0	• O O O O O O O O O O O O O O O O O O O	• - O •	• - 0 • - • • 0
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models)	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	00-0-0-0-	• - O	• - 0 • - • • 0 • • • • • • • • • • • • • • • • •
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet	- - - - - - - -	• • • • • • • • • • • • • • • • • • •	00-0------	• - O • - O • O • O • O • O • O • O • O	• - 0 • • 0 • • • • • • • • • • • • • •
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^	- - - - - - - - -		• 0 0 • • • • • • • • • • •	• - O • O • O	-000000
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^ Jacks - corner supports AL-KO drop	- - - - - - - - - -		• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • •	-000000
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^ Jacks - corner supports AL-KO drop Jacks - corner supports windown			• • • • • • • • • • • • • • • • • • •	•	- - - - - - - - -
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^ Jacks - corner supports AL-KO drop Jacks - corner supports windown Jerry can holder^			• • • • • • • • • • • • • • • • • • •	• - 0 • - 0 • 0 • 0 • 0 • 0 • 0 • 0 • 0	- - - - - - - - -
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^ Jacks - corner supports AL-KO drop Jacks - corner supports windown Jerry can holder^ Jockey wheel to centre of A-Frame					- - - - - - - - -
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^ Jacks - corner supports AL-KO drop Jacks - corner supports windown Jerry can holder^ Jockey wheel to centre of A-Frame Lights - LED annex	• • • • • • • • • • • • • • • • • • •				
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^ Jacks - corner supports AL-KO drop Jacks - corner supports windown Jerry can holder^ Jockey wheel to centre of A-Frame Lights - LED annex Lights - LED door handle	• • • • • • • • • • • • • • • • • • •				
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^ Jacks - corner supports AL-KO drop Jacks - corner supports windown Jerry can holder^ Jockey wheel to centre of A-Frame Lights - LED annex Lights - LED door handle Mudflaps - Jayco					
Chassis - Endurance hot-dip galvanised Chassis - main members (Touring 4" x 2", Outback 6" x 2") Furniture - Euro style with aluminium corners & seat framing Roof - hail-resistant one-piece skin with insulation Walls - fully insulated Toughframe, hail-& dent-resistant Walls - fully insulated, aluminium frame & external ali clad Exterior General A-frame extended (200 mm or 300 mm, model-dependent) Awning - rollout with LED strip light BBQ - slide-out^ Bike racks^ Boot - front with large storage & gas strut assisted Boot - side entry with large storage Bumper Bar (RHS galvanised to Outback Models) Checkerplate - protective black side bottom panels Coupling - shockproof swivel Front & rear ABS smooth modern styling Gas bayonet Gas Bottle 9 kg fixed (2x 9 kg on internal shower models) Grey water tank^ Jacks - corner supports AL-KO drop Jacks - corner supports windown Jerry can holder^ Jockey wheel to centre of A-Frame Lights - LED annex Lights - LED door handle Mudflaps - Jayco Pebbleguard stone protection at front					

	Freedom Pop Top	Journey Touring	Journey Outback	Journey DX Touring	Journey DX Outback
	Freed	Journ	Journ	Journ	Journ
Shower - External including pop-up tent	-	0	0	0	0
Solar system - 120 W & regulator	-	0	•	0	
Solar system - 160 W & regulator	-	0	0	0	0
Solar wiring provision	_		_		_
Step - single pull-out Suspension - axle & leaf springs	•		_		_
Suspension - JTECH Suspension Independent Coil	_	0	•	0	•
Table - external fold-out	-	0	0	0	0
Tap - mains pressure to A-frame	-	•	•	•	•
Ventilation - pop top tent window flyscreens	-	•	•	•	•
Walls - 2-tone	-	-	-	•	-
Water tank - 82 L with guard (2 x 82 L shower models) Water tank - additional 82 L^ with guard	_	0	0	0	0
Wheel - cover for spare	_			_	_
Wheels - 16" 245/70R16	_	_	0	_	0
Wheels - alloy with radial tyres including spare	•	•	•	•	•
Wheels - nitrogen-filled	•	•	•	•	
Window shield - front with gas assisted struts^	-	•	•	•	•
Interior General				Ļ	
Battery - 100 AMP deep cycle (standard on shower models)	_	0			
Battery - Setec 12 V/240 V management system Bed converter (provision standard)	_	0	0	0	0
Control panel - J-Control LED display	_	0	0	•	•
Control panel - J-Display LED display	-	0	0	_	_
Control panel - J-Hub tablet display	-	-	_	0	0
Curtains - full-width rubber backed	-	•	•	•	
Drawers - Ezi glide pullout	•	•	•	•	•
(inc. large pot drawers - excludes Freedom range) Hatch roof 400 mm x 400 mm	•		•	•	•
Lights - ceiling 12 V LED wireless	_	•	•	•	•
Lights - reading 12 V at bed	-	•		•	•
Locks - positive to cupboard doors	•	•	•	•	
Power - 12 V socket (internal and external)	-	0	•	0	•
Power point with intregrated USB port	-	•	•	•	•
Privacy divider curtain^ Shower - modern design enclosed with exhaust fan^	_	0	0	0	0
Sink - stainless steel large bowl with Chop 'n' Serve board			•		
Splashbacks to kitchen area (N/A front kitchen)	•	•	•	•	•
Tap - hand pump to sink (non-shower models)	•	•	•	_	_
Tap - mains pressure to sink	-	•	•	•	•
Toilet - ceramic bowl ^	-	-	-	•	•
Towel rails to full ensuite	-	-	-	•	•
TV point		•			
Vanity - modern design^ Water filtration system to sink	_	0	0	0	0
Windows - double-glazed Euro push style with roller blinds	•	•	•	•	•
Safety					
Brake magnets - AL-KO off-road	_	-	•	-	•
Brake Unit - Tow Secure Emergency^					
	-	•			
Brakes - electric	•	•	•	•	•
Child restraints - top bunk^	- • -	• • •	• •	• -	-
Child restraints - top bunk^ Door - external triple lock with security screen (Camec)	- • - •	• • • •	• • •	•	• • •
Child restraints - top bunk^	- • - •	• • • • • •	• • • • • • • •	• - • 0 0	• 0 0
Child restraints - top bunk^ Door - external triple lock with security screen (Camec) ESC - AL-KO Electronic Stability Control device	- • - - -				
Child restraints - top bunk^ Door - external triple lock with security screen (Camec) ESC - AL-KO Electronic Stability Control device eZylevel levelling device Water filler - lockable Freedom Option Packs	- • - -		0		
Child restraints - top bunk^ Door - external triple lock with security screen (Camec) ESC - AL-KO Electronic Stability Control device eZylevel levelling device Water filler - lockable Freedom Option Packs Freedom bush pack	- • - - •	0	0		
Child restraints - top bunk^ Door - external triple lock with security screen (Camec) ESC - AL-KO Electronic Stability Control device eZylevel levelling device Water filler - lockable Freedom Option Packs	- • - - •	0	0		

A model to suit...



FREEDOM POP TOP

Boasting ample living space to fill with wonderful holiday memories, the new Freedom Pop Top brings all the benefits of a larger RV at an affordable price.



JOURNEY POP TOP

Offering prestigious features without the premium price tag, the Journey Pop Top is widely regarded as the best-looking value-for-money RV in Australia and the right choice for buyers of all ages.



JOURNEY DX POP TOP


The Jayco pedigree is obvious, from the streamlined exterior to the countless practical touches inside and out, like the Eurostyle furnishings and quality appliances.





SAFETY ESC SAFETY FIRST, WITH OPTIONAL AL-KO ELECTRONIC STABILITY CONTROL

- A Critical swerve or sway is detected.
- B Electronic Stability Control partially applies the RV brakes. The caravan is pulled into line behind the tow vehicle. The sway is stopped and the caravan brakes are released.



JTECH SUSPENSION

Jayco pop tops come with a precision manufactured suspension system (standard on Outback) N/A Freedom. The specially designed, high-performance JTECH Suspension delivers greater stability, a smoother ride, exceptional handling and increased ground clearance.



Purpose designed to complement the Jayco Endurance Chassis, JTECH Suspension replaces beam axles with individual stub axles, allowing each wheel to react independently to the road surface, while lessening the chassis' unsprung weight. JTECH Suspension makes towing easier and safer than ever before.

Each JTECH Suspension system includes:

- Electro-coated surfaces for optimal protection against corrosion and stone chips
- AL-KO stub axles, bearings and brakes that are suitable for fitment of AL-KO Electronic Stability Control
- Large diameter, heavy-duty Pedders off-road shock absorbers and coil springs designed specifically for Jayco RVs and Australian conditions
- Aeon rubber springs inside each coil spring, producing a progressive rate when the suspension is compressed
- Toe-in and toe-out adjustment for wheel alignment

FREEDOM OPTION PACKS

Make your Freedom pop top your own with an optional upgrade pack that gives you the versatility to adventure your way.

BUSH PACK

- Gas bayonet
- 12 V sockets
- Jerry can holder
- Mudflaps
- 120 W solar
- 100 AMP battery
- Underslung axle / 50 mm packer^
- Bumper bar^
- OB winds
- Recessed coupling
- High lift jacks
- 2 gauge control panel

COMFORT PACK

- Pull out awning
- Air Conditioner
- Picnic table

ENTERTAINMENT PACK

- T\
- TV Antenna
- Stereo
- Internal and external speakers

THE JOURNEY POP TOP AND JOURNEY DX POP TOP ARE AVAILABLE IN AN OUTBACK VERSION.

Even if the places you want to get to are a long way off the bitumen, there's no reason why you can't bring a little comfort with you. The Jayco Outback pop top has higher ground clearance, a range of high-strength componentry and specialised features, including:

- JTECH Independent Suspension
- 120 W solar panel and regulator
- 100 AMP Battery
- 150 mm x 50 mm rectangular hollow-section chassis members
- 125 mm x 50 mm rectangular hollow-section A-Frame
- Jerry can holder on A-Frame (jerry can not included)
- Off-road electric brake magnets
- AL-KO outback drop jacks

- Protective aluminium checker plate on sides
- 16-inch allow wheels with 235/75R15 tyres
- Rear black ABS moulds
- Pull-out single step
- External 12 V auxiliary plug
- External gas bayonet
- Jayco mud flaps
- 8-inch jockey wheel

JAYCO FLOORPLANS


Extended lift-up bed
 Bed
 Overhead storage

4. Seat5. Table6. Club lounge

7. Microwave 8. Fridge 9. Pantry 10. Storage 11. Robe 12. Front boot


13FT FREEDOM






13FT FREEDOM






15FT FREEDOM






16FT FREEDOM






15FT JOURNEY





15FT JOURNEY





13.42-1 SINGLE AXLE

Tare weight (kg)	1,175
Tow ball (kg)	105
Travel length (mm)	5,773
Travel height (mm)	2,230
Body (L) (mm)	4,294
Width (inc awning) (mm)	2,316
Interior (L) (mm)	4,122
Interior (H) (mm)	2,015

13.42-2 SINGLE AXLE

Tare weight (kg)	1,148
Tow ball (kg)	105
Travel length (mm)	5,773
Travel height (mm)	2,230
Body (L) (mm)	4,294
Width (inc awning) (mm)	2,316
Interior (L) (mm)	4,122
Interior (H) (mm)	2,015

15.48-6 SINGLE AXLE

Tare weight (kg)	1,317
Tow ball (kg)	129
Travel length (mm)	6,284
Travel height (mm)	2,230
Body (L) (mm)	4,863
Width (inc awning) (mm)	2,470
Interior (L) (mm)	4,764
IIILETIOI (L) (IIIII)	1,701
Interior (H) (mm)	2,015

16.52-2 SINGLE AXLE

Tare weight (kg)	1,340
Tow ball (kg)	130
Travel length (mm)	6,720
Travel height (mm)	2,395
Body (L) (mm)	5,375
Width (inc awning) (mm)	2,470
Interior (L) (mm)	4,740
Interior (H) (mm)	2,015

15.48-4 SINGLE AXLE

Interior (H) (mm)

15.48-4 SINGLE AXLE		OB OUTBACK
Tare weight (kg)	1,330	1,590
Tow ball (kg)	145	150
Travel length (mm)	6,284	6,393
Travel height (mm)	2,405	2,625
Body (L) (mm)	4,863	
Width (inc awning) (mm)	2,470	
Interior (L) (mm)	4,764	
Interior (H) (mm)	2,015	


15.48-5 SINGLE AXLE		ОВ оитваск
Tare weight (kg)	1,340	1,615
Tow ball (kg)	140	150
Travel length (mm)	6,284	6,393
Travel height (mm)	2,405	2,625
Body (L) (mm)	4,863	
Width (inc awning) (mm)	2,470	
Interior (L) (mm)	4,764	

2,015

are a guide only and will change depending on accessories fitted to your van. It is advised to discuss this with your Jayco representative. The load carrying capacity of Jayco RV's vary from product to product to ensure it is fit-for-purpose.


16FT **JOURNEY**






16FT JOURNEY






17FT JOURNEY






17FT JOURNEY






17FT JOURNEY DX





17FT JOURNEY DX



16.67-4 SINGLE AXLE		ОВ оитваск
Tare weight (kg)	1,570	1,790
Tow ball (kg)	165	180
Travel length (mm)	6,835	6,985
Travel height (mm)	2,405	2,625
Body (L) (mm)	5,190	
Width (inc awning) (mm)	2,470	
Interior (L) (mm)	5,064	
Interior (H) (mm)	2,015	

16.67-5 SINGLE AXLE		OB OUTBACK
Tare weight (kg)	1,570	1,760
Tow ball (kg)	170	195
Travel length (mm)	6,835	6,985
Travel height (mm)	2,405	2,625
Body (L) (mm)	5,190	
Width (inc awning) (mm)	2,470	
Interior (L) (mm)	5,064	
Interior (H) (mm)	2,015	

17.58-1 TANDEM AXLE		ОВ оитваск
Tare weight (kg)	1,650	1,930
Tow ball (kg)	145	170
Travel length (mm)	7,165	7,315
Travel height (mm)	2,405	2,625
Body (L) (mm)	5,473	
Width (inc awning) (mm)	2,470	
Interior (L) (mm)	5,379	
Interior (H) (mm)	2,015	

17.58-3 TANDEM AXLE		ОВ оитваск
Tare weight (kg)	1,750	2,015
Tow ball (kg)	130	165
Travel length (mm)	7,165	7,315
Travel height (mm)	2,405	2,625
Body (L) (mm)	5,473	
Width (inc awning) (mm)	2,470	
Interior (L) (mm)	5,379	
Interior (H) (mm)	2,015	

17.55-8 TANDEM AXLE		ОВ оитваск
Tare weight (kg)	1,835	2,100
Tow ball (kg)	150	178
Travel length (mm)	7,050	7,200
Travel height (mm)	2,455	2,670
Body (L) (mm)	5,705	
Width (inc awning) (mm)	2,470	
Interior (L) (mm)	5,186	
Interior (H) (mm)	2,115	

17.55-9 TANDEM AXLE		ОВ оитваск
Tare weight (kg)	1,850	2,100
Tow ball (kg)	150	178
Travel length (mm)	7,050	7,200
Travel height (mm)	2,455	2,670
Body (L) (mm)	5,705	
Width (inc awning) (mm)	2,470	
Interior (L) (mm)	5,186	
Interior (H) (mm)	2,115	





JAYCO OPTIONS THAT ADD A PERSONAL TOUCH

Personalise your adventure with optional extras that make your Jayco as individual as you are. Here are just a few:

Lockable, easy-load bike rack carries two full-sized bicycles (select floor plans only, N/A Freedom)

J-Control LED display control panel (standard on Journey DX, optional on Journey, N/A Freedom)

120 W solar system with regulator (optional on touring models, N/A Freedom)

JHUB — an app-driven control hub for managing your Pop Top's on-board features (optional on Journey DX only)


Slide-out BBQ for outdoor entertainment (select models only)

Picnic table unclips in an instant to provide extra table space (select layouts only)

CD/radio stereo system with indoor and outdoor speakers (optional on Journey, N/A Freedom)

DON'T JUST CHOOSE YOUR OWN ADVENTURE...

...choose from a number of floor plans and high-quality extras to make your Jayco your very own. Each personalised option gives you more, takes your further and performs seamlessly with your Jayco. All options designed to make your home away from home fully customized, comfortable and adventure ready.



CHOOSE JAYCO AND YOU'LL NEVER LOOK BACK.

ALL JAYCO RVs LET YOU ENJOY THE FEELING OF



THE FREEDOM TO TRAVEL WHERE YOU WANT, WHEN YOU WANT, FOR HOWEVER LONG YOU WANT.

You're buying one of the best RVs available. A Jayco pop top turns every trip into a great memory. It comes from the quality you feel in every kilometer you travel with an Australian-made Jayco, and it's why Jayco's RVs are the first and only choice for so many.

Your Jayco pop top will hold its value better, for longer. And Jayco will always be there for you – through our comprehensive warranty, complimentary roadside assist service and the convenience of Australia's largest RV dealer network.



Designed and made in Australia



2-Year Jayco manufacturer's warranty*
5-Year Jayco structural warranty*



Over 100 service agents nationwide



No. 1-selling RV brand in Australia



Great resale value



43-years' experience in RV manufacturing



TO BE THE BEST,YOU NEED TO WORK WITH THE BEST



































200,000+ UNITS BOUGHT, SOLD & SUPPORTED

BY AUSTRALIA'S LARGEST MANUFACTURER



JAYCO.COM.AU

1300 JAYCO RV

