

# ELEMENT

A BREATHTAKING ADDITION TO ANY SPACE

The Element range is simply breathtaking with its clean lines, beautiful flame pattern and multiple media options. With an impressive star rating and the latest in power balanced flue technology it makes it the perfect package for the discerning buyer.

The Element also has WiFi capability with an app enabling operation of your fire from your smart device so your room is nice and cosy for when you get home!

Power balanced flue

New Application

Natural gas, LPG or ULPG

Full remote control function

Double glazed space heater

WiFi compatible



For more information please contact:

P: 1300 554 155






E: [flame@glendimplex.com](mailto:flame@glendimplex.com)

W: [www.realflame.com.au](http://www.realflame.com.au)



TECHNICAL SPECIFICATIONS

# ELEMENT 1200

- 1. Install Element 1200 onto base and connect flue, gas and power.
- 2. Fit 18mm trim frame.
- 3. Locate 4 sided flange kit.
- 4. Remove 18mm frame.
- 5. Clad wall to flange kit and finish.
- 6. Refit 18mm trim frame.



## CLEARANCE TO COMBUSTIBLES





	A	B	C	D
1200	660 (880)	1420	460	625

(880) for unit mounted fan. All measurements in millimetres (mm)


E	F	G	H	I	J	K	TRIM	L	M
1405	455	83	83	25	25	25	50mm	1270	469
							18mm	1208	405
							BB	1434	850

MJ/h			kW			Star Rating			GPO	Ventilation
NG	LPG	ULPG	NG	LPG	ULPG	NG	LPG	ULPG	Required	
37	33	33	9.2	7.7	7.7	4.9	5.2	5.2	10 amp	Not Required



TECHNICAL SPECIFICATIONS

# ELEMENT 1800



FRAME OUT DIMENSIONS

A	B	C	D
660	2020	460	143

VIEWING AREA

Width	Height
1766	364

WARRANTY

Firebox	Components
15 years	2 years

PERFORMANCE DATA

	MJ/h		kW		Star Rating	
	H	L	XL	XLC	XL	XLC
NG	39	30	9.1	9.1	4.2	4.2
ULPG	35	28	8.1	8.1	4.6	4.6

