



TOOL BAGS

Beehive Vinyl Products Pty Ltd is an Australian owned and operated company based in Townsville, North Queensland, operating since 1978.

NOTE: Trade pricing may be available to approved companies / businesses.

The original Beehive Heavy Duty Tool bags are made to survive the toughest of working conditions. No matter what job you are doing or what tools you have, we have a bag for you.

Our Patented Tool bags are manufactured from a specialised heavy duty, fire resistant, high quality vinyl that is predominantly manufactured in Australia by an Australian owned company. These materials are tested to AS2001.2.3 tensile strength standard, BS 3424.5 Tongue tear standard, AS1441.6 flex cracking standard and flame retardant tested using parts 2 & 3 of AS1530 testing standard to meet commercial building standards as per BCA. BEWARE of imitation bags that are poorly made using low quality, inferior materials.

Our tool bags, crib bags and esky bags are preferred by many of Australia's leading mining companies, as well as resellers such as Electrical equipment retailers, tool and construction equipment retailers and hardware stores. Known for their durability and strong construction, they are built to last.

As we manufacture our own bags in our factory in Townsville, Qld, we can make any custom bags in different colours to suit our customers. We can also provide bags with custom printing such as company logos, workers names etc. If our standard range does not suit you, tell us what you want as we can make custom bags to suit your specific requirements.

BEEHIVE TOOL BAGS.....STILL THE BEST & TOUGHEST DAMN TOOL BAG IN AUSTRALIA.

Made in Australia, by Australians, for Australian conditions



100% FULLY LOCKABLE RANGE OF TOOL BAGS





p. 07 4779 9600 e. toolbags@beehivevinyl.com.au
www.beehivevinyl.com.au
39 Keane Street, Currajong Townsville, QLD 4812 ABN: 42 009 952 872



EXTRA TOUGH TOOL BAGS.... "Made Tuff for Tuff Work"

SMALL TOOL BAG with DOUBLE FRONT POCKETS

External Dimensions: 330mm L x 175mm (inc pockets) W x 200mm H Internal Dimensions: 330mm L x 130mm W x 200 H **PART NO: WMC**

Features Include:

- Cushioned anti-slip shoulder pad with adjustable 50mm webbing strap
- 2 Front pockets with a centre divider
- 5 Tool pockets on back wall of tool bag
- 5 Tool pockets on back centre divider
- Heavy duty hook & loop fastening tape to close main lid flap with reflective tape
- Internal HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based
- Silver prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R





SHORT VINYL TOOL BAG

External Dimensions: 330mm L x 260mm W (inc pocket) x 250 H Internal Dimensions: 330mm L x 200mm W x 250 H **PART NO: QNI**

Features Include:

- 8 Individual tool pockets -4 on both the front and back internal wall of the tool bag
- Single large front pocket
- Heavy duty hook & loop fastening tape close main lid flap
- Silver prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R
- Clear document sleeve on front flap
- Centre divider
- Cushioned anti-slip padded shoulder pad with 50mm webbing strap
- Internal HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based



SMALL TOOL BAG with DOUBLE FRONT POCKETS HMB

External Dimensions: 330mm L x 175mm (inc pockets) W x 230mm H Internal Dimensions: 330mm L x 130mm W x 230mm H **PART NO: WMCHMB**

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- Cushioned anti-slip shoulder pad with adjustable 50mm webbing strap
- 2 Front pockets with a centre divider
- 5 Tool pockets on back wall of tool bag
- 5 Tool pockets on back centre divider
- Heavy duty hook & loop fastening tape to close main lid flap with reflective tape
- Reinforced HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to
- parts 2 & 3 of ASI 530 standard to meet
- Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6
- flex cracking standard
- The PVC used is free of BPA, lead
- & other heavy metals & the lacquer
- coating is non solvent based







SHORT VINYL TOOL BAG with HMB

External Dimensions: 330mm L x 260mm (inc pocket) W x 280 H. Internal Dimensions: 330mm L x 200mm W x 280 H **PART NO: QNIHMB**

Features Include:

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- 8 Individual tool pockets 4 on both the front and back internal wall of the tool bag
- Single large front pocket
- Heavy duty hook & loop fastening tape to close main lid flap
- Silver prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R
- Clear document sleeve on front flap
- Centre divider
- Cushioned anti-slip padded shoulder pad with 50mm webbing strap
- Extra Reinforced HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based





MINI SIDE POCKET DOUBLE BASE HMB TOOL BAG

External Dimensions: 450mm L (inc pockets) x 260mm W x 280mm H. Internal Dimensions : 330mm L x 200mm W x 280mm H **PART NO: MINI SP-DBHMB**

Features Include:

• Fully moulded wrap around hard HDPE base added to the bottom of the tool bag

- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- 8 Individual tool pockets 4 on both the front and back internal wall of the bag with a centre divider in the middle
- 2 Side pockets on either end of the bag with hook & loop fastening tape to close lid flaps
- Single large front pocket
- Heavy duty hook & loop fastening tape to close main lid flap with reflective tape
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Extra reinforced HDPE bottom
- Welded and stitched using chemical & UV resistant thread
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard, AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard. To meet Australian Building codes
- The PVC used is free of BPA, lead & other heavy metals & lacquers and is non solvent based







MINI SIDE POCKET DOUBLE BASE

External Dimensions:450mm L (inc pockets) x 260mm W x 250mm H. Internal Dimensions 330mm L x 200mm W x 250mm H **PART NO: MINI SP-DBRT**

Features Include:

- 8 Individual tool pockets 4 on both the front and back internal wall of the bag with a centre divider in the middle
- 2 Side pockets on either end of the bag with hook & loop fastening tape to close lid flaps
- Single large front pocket
- Heavy duty hook & loop fastening tape to close lid flap with reflective tape
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Extra reinforced HDPE bottom
- Welded and stitched using chemical & UV resistant thread
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard, AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard. To meet Australian Building codes
- The PVC used is free of BPA, lead & other heavy metals & lacquers and is non solvent based



FULLY LOCKABLE COMMISSIONING

External Dimensions: 330mm L x 175mm W (inc pocket) x 270mm H Internal Dimensions: 330mm L x 130mm W x 270mm H **PART NO: FLZCOM**

Features Include:

- 5 tool pockets on back wall of tool bag
- 5 tool pockets on back & 3 pockets on front centre divider
- 100% fully lockable with YKK zips with lockable slides
- Heavy duty hook & loop to close front lid with reflective tape
- 50MM webbing cushioned anti-slip padded shoulder strap
- Internal HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard, AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard. To meet Australian Building codes.
- Vinyl is anti-fungal and UV resistant
- The PVC used is free of BPA, lead & other heavy metals & lacquers and is non solvent based





FULLY LOCKABLE COMMISSIONING HMB

External Dimensions: 330mm L x 175mm W (inc pocket) x 270mm H Internal Dimensions: 330mm L x 130mm W x 270mm H **PART NO: FLZCOMHMB**

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives reinforcing & protection to the bottom of your tool bag
- 5 tool pockets on back wall of toolbag
- 5 tool pockets on back & 3 pockets on front centre divider
- 100% fully lockable with YKK zips with lockable slides
- Heavy duty hook & loop to close front lid with reflective tape
- 50MM webbing cushioned anti-slip padded shoulder strap
- HDPE reinforced bottom
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard, AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard. To meet Australian Building codes.
- Vinyl is anti-fungal and UV resistant
- The PVC used is free of BPA, lead & other heavy metals & lacquers and is non solvent based







CANVAS DOUBLE BASE TOOL BAG

External Dimensions: 480mm L x 260mm W (inc pocket) x 250mm H Internal Dimensions: 480mm L x 200mm W x 250mm H PART NO: CDB

Features Include:

- Centre divider and 2 front pockets
- Extra reinforced HDPE base
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Heavy duty hook & loop fastening tape to close main lid flap
- 12 Individual tool pockets 6 on the front and 6 on the back of the internal walls of the tool bag
- Stitched using chemical & UV resistant thread
- Manufactured from predominantly Australian Made heavy duty reinforced 12oz ripstop canvas
- Silver prismatic reflective tape - exceeds Aust standards AS/ NZ 1906.4 Class R

DOUBLE BASE WITH BUCKLES

External Dimensions: 480mm L x 260mm W (inc pocket) x 250mm H Internal Dimensions: 480mm L x 200mm W x 250mm H PART NO: DBB

Features Include:

- 12 Individual tool pockets 6 on the front and 6 on the back wall of the tool bag
- Side release buckles on 2 front pockets
- Heavy duty hook & loop fastening tape to close main lid flap
- Welded and stitched using chemical & UV resistant thread
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Extra reinforced HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of ASI 530 standard to meet Australian Building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 Tongue tear standard, ASI441.6 flex cracking standard
- Silver prismatic reflective tape exceeds Aust standards AS/ NZ 1906.4 Class R
- The PVC vinyl used is free of BPA, lead & other heavy metals & lacquer coating is non solvent based



DOUBLE BASE TOOL BAG

External Dimensions: 480mm L x 260mm W (inc pocket) x 250mm H Internal Dimensions: 480mm L x 200mm W x 250mm H PART NO: DBRT

Features Include:

- 12 Individual tool pockets 6 on the front and 6 on the back wall of the tool bag
- 2 front pockets
- Welded and stitched using chemical & UV resistant thread
- Heavy duty hook & loop fastening tape to close main lid flap
- Silver prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Extra reinforced HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of ASI 530 standard to meet Australian Building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, ASI441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & lacquer coating is non solvent based





DOUBLE BASE with HARD MOULDED BASE TOOLBAG

External Dimensions: 480mm L x 260mm W (inc pocket) x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H PART NO: DBHMB

Features Include:

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- 12 Individual tool pockets 6 on the front and 6 on the back wall of the tool bag & 2 front pockets
- Welded and stitched using chemical & UV resistant thread
- Heavy duty hook & loop fastening tape to close main lid flap
- White prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Manufactured from predominantly . Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of ASI530 standard to meet Australian Building codes also tested to AS2001.2.3 tensile strength

standard, BS 3424.5 tongue tear standard, ASI441.6 flex cracking standard





DOUBLE BASE with HARD MOULDED BASE & RUBBER HANDLES TOOLBAG

External Dimensions: 480mm L x 260mm W (inc pocket) x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H **PART NO: DBHMBRH**

Features Include:

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- Heavy duty rubber carry handles at each side of the bag easier to lift and reduces back injury
- 12 Individual tool pockets 6 on the front and 6 on the back wall of the tool bag
- 2 front pockets
- Welded and stitched using chemical & UV resistant thread
- Heavy duty hook & loop fastening tape to close main lid flap
- White prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian Building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard



LADY TRADIE - DOUBLE BASE WITH HMB

External Dimensions: 480mm L x 260mm W (incl pockets) x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H **PART NO: DBHMBRHPINK or DBHMBRHPURPLE**

Double Base with a hard HDPE moulded base and rubber handles

- 12 Individual tool pockets 6 on the front and 6 on the back wall of the tool bag
- Welded and stitched using chemical & UV resistant thread
- Heavy duty hook & loop fastening tape to close main lid flap
- Silver Hi Vis reflective tape meets retroreflective requirements of ASNZS 1906.1 Class IW (WZ) - welded (not stitched) to front flap
- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Heavy duty rubber carry handles at each side of the bag easier to lift and reduces back injury
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Pink material is 650gsm PVC coated rip-resistant polyester and UV stabilised and fire retardant
- Purple material 630gsm PVC coated polyester and is UV & FR treated









DOUBLE BASE with HMB & RUBBER HANDLES QLD & NSW

External Dimensions: 480mm L x 260mm W (inc pocket) x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H **PART NO: DBHMBRHQLD or DBHMBRHNSW**

Features Include:

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- Heavy duty rubber carry handles at each side of the bag easier to lift and reduces back injury
- 12 Individual tool pockets 6 on the front and 6 on the back wall of the tool bag
- 2 front pockets
- Welded and stitched using chemical & UV resistant thread
- Heavy duty hook & loop fastening tape to close main lid flap
- White prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian Building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard









PATENTED

FULLY LOCKABLE DOUBLE BASE TOOL BAG

External Dimensions: 480mm L x 270mm W (inc pocket) x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H **PART NO: FLZDB**

100% Fully lockable version of our original Double Base tool bag, plus 30mm deeper.

Perfect for the FIFO worker & to stop your tools from going missing on site.

Internally the pocket layout and divider remains the same as the Double Base tool bag. Externally the changes to the front pockets and main opening compartment gives you the ability to lock and secure all your valuable tools.

Extra Features Include:

- Heavy duty YKK zips with lockable slides are included on the front lid and the front external pockets
- Zip slides have woven tags for easier opening & closing of the zips
- Heavy duty rubber carry handles at each side of the bag easier to lift and reduces back injury
- Front external pockets are 40mm up from the base of the tool bag to prevent wearing out on the bottom
- Extra reinforcing layer of vinyl at the base of the external front pockets for added protection against sharp and heavy tools
- Increased width on external front pockets, now 60mm allowing extra room for all your tools
- Extra 30mm depth in over-all bag provides more storage room
- White Hi Vis reflective tape meets retroreflective requirements of ASNZS 1906.1 Class 1W (WZ) welded (not stitched) to front flap
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is also flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC vinyl used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based

INTERNAL DOUBLE BASE TOOLBAGS POCKET LAYOUT

FULLY LOCKABLE HARD MOULDED

External Dimensions: 480mm L x 270mm W (inc pocket) x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H PART NO: FLZDBHMB

Fully lockable version of our Double Base tool bag, with a hard HDPE moulded base.

Features Include:

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- Heavy duty rubber carry handles at each side of the bag - easier to lift and reduces back injury
- Front external pockets are 40mm up from the base of the tool bag to prevent wearing out on the bottom
- Increased width on external front pockets, now 60mm allowing extra room for all your tools
- White Hi Vis reflective tape meets retroreflective requirements of ASNZS 1906.1 Class IW (WZ) welded (not stitched) to front flap
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC vinyl used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based

FM.OP.5053 V22 HARD HDPE MOULDED BASE

APPROVED 03/08/2023 SK Page 8




BACKPACK VINYL TOOL BAG External Dimensions: 325mm L x 190mm W (incl pocket) x 430mm H

External Dimensions: 325mm L x 190mm W (incl pocket) x 430mm H Internal Dimensions: 325mm L x 140mm W x 430mm H PART NO: BPACK

Features Include:

- 10 Internal pockets on each side
- Heavy-duty base and heavy duty YKK zips with lockable zip slides
- Large gusseted front pocket with hook & loop fastening tape
- OH&S preferred put's less strain on your shoulders by distributing weight evenly across your back
- Webbing loop on the top
- HDPE inserts for stiffening back
- Fully padded and adjustable shoulder straps (made from 50mm webbing) for ergonomic fit
- Silver Prismatic reflective tape on the front flap exceeds Aust standards AS/NZ 1906.4 Class R
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl (blue & yellow) with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of ASI530 standard



The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based







SIDE POCKET DOUBLE BASE

External Dimensions: 600mm L (inc pockets) x 260mm W x 250mm H Internal Dimensions: 480mm L x 200mm W x 250mm H PART NO: SPDBRT

Features Include:

- Centre divider and 2 front pockets
- 2 Side pockets on either end of tool bag
- I 2 Individual tool pockets
 6 on the front and 6 on the back wall of the tool bag
- Heavy duty hook & loop fastening tape & side release buckles to close lid flap
- Extra reinforced HDPE Base
- Welded and stitched using chemical & UV resistant thread
- Cushioned anti slip shoulder pad with 50mm webbing strap
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of ASI530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, ASI441.6 flex cracking standard



• The PVC used is free of BPA, lead & other heavy metals & lacquer coating is non solvent based

BOILER MAKERS TOOL BAG

External Dimensions: 600mm L (inc pockets) x 260mm W x 250mm H Internal Dimensions: 480mm L x 200mm W x 250mm H **PART NO: BBAGRT**

Features Include:

- Heavy duty hook & loop fastening tape & two side release buckles to close main lid flap
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Silver prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R
- Grey side and front pockets
- 3 large internal pockets on back wall
- 4 large internal pockets on front wall
- Welded and stitched using chemical & UV resistant thread
- Extra reinforced HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based



SIDE POCKET DOUBLE BASE with HMB & RUBBER HANDLES

External Dimensions: 600mm L (inc pockets) x 260mm W x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H **PART NO: SPDBHMBRH**

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- Heavy duty rubber carry handles at each side of the bag easier to lift and reduces back injury
- Centre divider and 2 front pockets
- 2 side pockets on either end of tool bag
- 12 Individual tool pockets 6 on the front and 6 on the back wall of the tool bag
- Heavy duty hook & loop fastening tape & side release buckles to close lid flap
- Extra reinforced HDPE Base
- Welded and stitched using chemical & UV resistant thread
- Cushioned anti slip shoulder pad with 50mm webbing strap
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & lacquer coating is on solvent based











SIDE POCKET DOUBLE BASE TYPE2

External Dimensions: 600mm L (inc pockets) x 260mm W x 250mm H Internal Dimensions: 480mm L x 200mm W x250mm H **PART NO: SPDB2.RT**

Features Include:

- Heavy duty 100mm hook & loop fastening tape to close lid flap
- A3 size clear document holder inside of lid
- 2 Front pockets and 2 side pockets with full vertical hook & loop fastening tape on flaps
- 6 Tool pockets on both front and back internal walls of tool bag
- Centre divider pocket with hook & loop fastening tape closer and tabs
- 4 large tool pockets on front of divider
- I0 Varied tool pouch sizes on back of centre divider
- Extra reinforced HDPE base
- Cushioned anti-slip shoulder pad with 50mm webbing strap
- Adjustable inside strap with buckles to prevent bag flaring
- Silver prismatic reflective tape exceeds AS/NZ 1906.4 Class R
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal additives as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian Building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard





LOCKABLE SIDE POCKET DOUBLE BASE TYPE2

External Dimensions: 600mm L (inc pockets) x 260mm W x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H **PART NO: LZSPDB2.**

Features Include:

- Lockable YKK zip around the top lid creating a lockable bag
- Mesh pouch on a side pocket suits phones (inc. smart phones)
- Cargo webbing tab loops on lower front flap to make lockable flap using padlocks
- 2 Front and 2 side pockets with full hook & loop fastening tape flap lids
- A3 size clear document holder inside of lid
- 4 large tool pockets on front of divider
- 6 Tool pockets in both front and back walls of tool bag
- Centre divider pocket with hook & loop fastening tape closer & tabs
- 10 Varied tool pouch sizes on back of centre divider
- Extra reinforced HDPE base
- Cushioned anti-slip shoulder pad with 50mm webbing straps
- Adjustable inside strap with buckles to prevent bag flaring
- Standard black and yellow colour combination
- Silver prismatic reflective tape on side pockets and front flap
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal additives as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based



**NOTE: LOCKS NOT INCLUDED



PLATINUM TOOL BAG

External Dimensions: 620mm L (inc pockets) x 270mm (inc pockets) W x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H **PART NO: FLZTYPE2**

100% Fully Lockable version of our popular Side Pocket Double Base Type2 tool bag, plus 30mm deeper.

Perfect for the FIFO worker & to stop your tools from going missing on site.

Internally the layout of pockets and centre divider remains the same as the Side Pocket Double Base Type 2 Tool bag. Externally you will notice some improvements to the bag, the front and side pockets along with the front lid have YKK padlock zips that allow you to fully lock and secure your tools. (**NOTE padlocks not included)

Extra Features Include:

- 100% Fully lockable! This includes all of the outer pockets with heavy duty YKK zips with lockable zip slides as well as lockable zip around the top lid of the bag
- Zip slides have woven pull tags for ease of opening & closing
- White Hi Vis reflective tape meets retroreflective requirements of ASNZS 1906.1 Class IW (WZ) - welded (not stitched) to front flap as well as end pockets
- Heavy duty rubber carry handles on sides of bag above each end pockets.... makes it easier to lift the bag without straining your back!
- Front pockets & side pockets have moved up higher on the bag to prevent them from wearing out on the bottoms
- A double layer of vinyl has been added to the bottom of external side & front pockets to stop holes and wearing from any sharp or heavy tools stored in them
- Increased pocket width to 65mm for the external front and side pockets
- 100mm hook & loop fastening tape on the front pockets to allow easier adjusting of the lid flap depending on whether your tool bag is full or half full
- Extra 30mm depth overall on the bag more tool storage room
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- The PVC used is free of BPA, lead & other heavy metals & lacquers and is non solvent based

PLATINUM TOOL BAG with HARD MOULDED BASE

External Dimensions: 620mm L (inc pockets) x 270mm W (inc pockets) x 280mm H Internal Dimensions: 480mm L x 200mm W x 280mm H **PART NO: FLZT2HMB**

100% Fully Lockable version of our popular Side Pocket Double Base Type2 tool bag, **plus** 30mm deeper with a hard moulded base sewn on the bottom

Perfect for the FIFO worker & to stop your tools from going missing on site.

Extra Features Include:

- 100% Fully lockable! This includes all of the outer pockets with heavy duty YKK zips with lockable zip slides as well as lockable zip around the top lid of the bag., zip slides have woven pull tags for ease of opening & closing
- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- Heavy duty rubber carry handles at each side of the bag easier to lift and reduces back injury
- White Hi Vis reflective tape meets retroreflective requirements of ASNZS 1906.1 Class IW (WZ) welded (not stitched) to front flap as well as end pockets
- Front pockets & side pockets have moved up higher on the bag to prevent them from wearing out on the bottoms
- A double layer of vinyl has been added to the bottom of external side & front pockets to stop holes and wearing from any sharp or heavy tools stored in them
- Increased pocket width to 65mm for the external front and side pockets
- 100mm hook & loop fastening tape on the front pockets to allow easier adjusting of the lid flap depending on whether your tool bag is full or half full
- Extra 30mm depth overall on the bag more tool storage room
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard, AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard. To meet Australian Building codes. Vinyl is UV and anti-fungal resistant
- The PVC used is free of BPA, lead & other heavy metals & lacquers and is non solvent based







FM.OP.5053 V22 APPROVED 03/08/2023 SK Page II





A4 DOCUMENT BAGS

External Dimensions: 300mm W x 430mm L PART NO: DOCBAG-A4

Features Include:

- Fully welded with hook & loop fastening tape flap
- 304 Stainless steel eyelets in top corners
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Aust building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based



Document bags can be custom made to suit specific applications. This includes different sizes, or altered to include clear fronts, extra eyelets, different colours, or include zips, or even sign writing. **Contact our sales team to discuss your requirements and**

PRESTART DOCUMENT BAGS

External Dimensions: 300mm W x 430mm L PART NO: DOCBAG-PRESTART

Features Include:

- Fully welded with hook & loop fastening tape flap
- 304 Stainless steel eyelets in top corners
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Aust building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based



Document bags can be custom made to suit specific applications. This includes different sizes, or altered to include clear fronts, extra eyelets, different colours, or include zips, or even sign writing. **Contact our sales team to discuss your requirements and** prices for bulk order amounts

A4 DOCUMENT BAGS—CLEAR

External Dimensions: 300mm W x 455mm L PART NO: DOCBAGA4-CLR

Features Include:

- Fully welded with hook & loop fastening tape flap
- 304 Stainless steel eyelets in top corners
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Aust building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based



Document bags can be custom made to suit specific applications. This includes different sizes, or altered to include clear fronts, extra eyelets, different colours, or include zips, or even sign writing. **Contact our sales team to discuss your requirements and**

A3 DOCUMENT BAGS—CLEAR

External Dimensions: 430mm W x 490mm L PART NO: DOCBAG-A3

Features Include:

- Fully welded with hook & loop fastening tape flap
- 304 Stainless steel eyelets in top corners
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Aust building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based



Document bags can be custom made to suit specific applications. This includes different sizes, or altered to include clear fronts, extra eyelets, different colours, or include zips, or even sign writing. **Contact our sales team to discuss your requirements and prices for bulk order amounts**

APPROVED 03/08/2023 SK Page 12

CRIB BAGS

External Dimensions: 350mm long x 140mm wide x 270mm high

Beehive Vinyls Crib bags are used extensively in the Australian Mining Industry. Suitable for keeping food and drink cool for hours

Features Include:

Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant.

Vinyl material is flame retardant tested to parts 2 & 3 of ASI 530 standard to meet Aust building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard

The PVC used is free of BPA, lead &

other heavy metals & the lacquer coating is non solvent based - also easy to keep clean hygienically

PART NO: CRIBBAGTI

- Hook & loop fastening tape with webbing opening tabs
- Small front pocket
- Insulated with quality foam
- Padded anti slip shoulder strap
- Blue and yellow colour combination

PART NO: CRIBBAGT2

- Hook & loop fastening tape "flap over front" to close
- Inside centre divider
- Padded anti slip shoulder strap

ANISTER MASK BA

External Dimensions: 280mm high x 150mm wide x 190mm long **PART NO: CMBFULL**

This canister bag for carrying a full breathing mask is made of heavy duty reinforced PVC vinyl with a zip up top lid and adjustable webbing straps. A waist band makes this bag easy to carry, you won't even know it's there.

Features Include:

- Heavy duty zip up lid
- Adjustable webbing straps with side release buckle
- Waist band for comfort
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl
- Vinyl material is flame retardant tested to parts 2 & 3 of ASI 530 standard to meet Aust Building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- Vinyl is UV and anti-fungal resistant
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based

Also available with Cross Over Shoulder Strap. (part no: CANCO)





CANISTER MASK (HALF) BAGS

External Dimensions: 170mm long x 170mm wide x 110mm high PART NO: CMBHALF

This canister mask bag for carrying a half canister mask is made of heavy duty reinforced vinyl with belt loops.

Features Include:

- Belt loops to secure to your waist belt •
- Quality Snap hooks to alternatively secure the canister bag
- Stitched using quality chemical & UV resistant thread
- Manufactured from predominantly Australian Made heavy duty • reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of ASI 530 standard to meet Australian Building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based



FOOL ROLLS

External Dimensions: 585mm W x 620mm H PART NO: TROLL13

External Dimensions: 645mm W x 500mm H PART NO: TROLL17

Features Include:

- Heavy duty Australian Made DX12 canvas -120Ż
- Stitched using chemical and UV resistant thread
- Heavy duty 25mm hook & loop fastening tape strapping
- Fully bound with polyester binding

Tool Roll 13 pockets, 585mm x 620mm

or Tool Roll 17 pockets, 645mm x 500mm







PART NO: TROLL13

PART NO: TROLI 17



BEEHIVE GEAR BAGS

External Dimensions: 650mm L (incl pocket) x 300mm W x 300mm H Internal Dimensions: 600mm L x 300mm W x 300mm H

Beehive gear bags are manufactured using a specialised heavy duty vinyl. The large internal space inside the gear bag allows for multiple uses eg: equipment bag, a weekender bag or for sporting gear. Two standard colour combinations are available. Custom made colours can incur an extra cost.

Features Include:

- Cushioned anti- slip shoulder pad with 50mm adjustable webbing strap
- Shoulder pad is also adjustable & removable
- 50mm webbing fully wrap around base carry handles
- Large end pocket, with heavy duty hook & loop fastening tape
- Double heavy duty YKK zips on top of bag
- Internal HDPE base
- Stitched using UV & chemical resistant thread
- Manufactured from heavy duty reinforced ripstop vinyl
- Vinyl is UV resistant and anti-fungal treated
- Easy to clean & hard wearing



PART NO: GEARSTD-MAROON

PART NO: GEARSTD-LTBLUE



ESKY BAGS

External Dimensions: 450mm L x 250mm W x 280mm H Internal Dimensions: 400mm L x 200mm W x 230mm H **PART NO: ESKY BAG**

Features Include:

- 25mm thick quality foam insulation
- Two 50mm webbing carry handles extend under the base of the bag
- Heavy duty YKK zips as well as two side release buckles attached to webbing strap on ends to seal esky bag
- Vinyl used on the inside and outside of the esky is fire retardant to meet Australian building codes
- PVC vinyl is treated with mould and mildew inhibitors and is also very easy to clean
- Exterior vinyl is made from predominantly Australian Made heavy duty reinforced ripstop vinyl
- PVC vinyl is free of BPA, lead, cadmium, mercury and other heavy metals & lacquer coating is non solvent based
- Keeps food & drinks cool for hours
- Easy to compress & store when empty



NOTEBOOK SITE BAG

External Dimensions: 380mm L x 170mm W x 290mm H Internal Dimensions: 340mm L x 130mm W x 290mm H **PART NO: NOTEBOOK SITE BAG**

- Fully moulded wrap around hard HDPE base added to the bottom of the tool bag
- Moulded HDPE base gives extra reinforcing & protection to the bottom of your tool bag
- 4 Individual tool pockets on the front internal wall of the tool bag
- Single large front pocket
- Heavy duty hook & loop fastening tape to close main lid flap
- Silver prismatic reflective tape exceeds Aust standards AS/NZ 1906.4 Class R
- Clear document sleeve on front flap
- Fully Lockable Zipable laptop pouch with YKK zips & lockable slides
- Cushioned anti-slip padded shoulder pad with 50mm webbing strap
- Extra Reinforced HDPE base
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl with anti fungal protection as well as being UV resistant
- Vinyl material is flame retardant tested to parts 2 & 3 of AS1530 standard to meet Australian building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- The PVC used is free of BPA, lead & other heavy metals & the lacquer coating is non solvent based
- 12mm thick foam padded lockable laptop pocket
- Suits a device with dimensions up to 300mm L x 220mm D x 150mm W
- Manufactured to suit BHP site standard for tablets.
- Protects your valuable electronic equipment



LADY TRADIE TOOL BAG COLOURS

Girls, make your Beehive tool bag a one off and stand out from the boys!!

Or boys, buy her a Lady Tradie tool bag to make her day!!

New colours now available for the Lady Tradie

Contact our friendly sales team to discuss your preferences and obtain a quote.

HDPE HARD MOULDED BASE OPTION

PART NO: TBHMBASE

Hard moulded HDPE bases are available with most of our toolbag range.

The hard moulded HDPE base will be sewn to the bottom of the tool bag, giving you extra reinforcing and double protection for the base.

This base can be added to other stock bags as a custom toolbag and costs for this will vary.

Please contact us to discuss this option with your tool bag order.

CARRY HANDLES OPTION

PART NO: TBRUBH

Heavy duty rubber carry handles can be added to the ends of some suitable bags giving you an extra option for lifting your tool bag. These carry handles will make it easier & safer to lift the tool bag. Standard bags that do not have side pockets can have handles

Note that some side pocket bags already have handles attached as standard.

attached during the production process.

We can attach handles to

other side pockets bags however extra costs may apply for a custom make. Please contact us to discuss this option with your tool bag order.

SELF RESCUE POUCHES

External Dimensions: 80mm H x 150mm W x 190mm L **PART NO: SELFRESCUER**

Self Rescuers Pouches provide protection for your Self Rescuer kit and include a belt hanger for a more comfortable way to carry.

Features Include:

- Stainless steel eyelets
- Heavy duty hook & loop fastener tape
- Silver prismatic reflective tape across the front
- Belt hanger pouch on the back
- Manufactured from predominantly Australian Made heavy duty reinforced ripstop vinyl
- Vinyl material is flame retardant tested to parts 2 & 3 of ASI 530 standard to meet Australian Building codes. Also tested to AS2001.2.3 tensile strength standard, BS 3424.5 tongue tear standard, AS1441.6 flex cracking standard
- Vinyl is UV and anti-fungal resistant
- The PVC used is free of BPA, lead & other heavy metals & lacquer coating is non solvent based



https://www.facebook.com/beehivetoolbags/ We list any seconds we may have on our pages, so if you are after a bargain, be sure to check it out.

with what's happening at Beehive.

We also post photos of Shade Sails, Tonneau Covers, Boat Covers, Caravan Awnings, Car Seat Covers, Custom Bags & other jobs etc.

FIND US ON FACEBOOK & INSTGRAM

Follow us on Facebook & Instagram to keep up to date

Plus we may have the occasional competition!





FM.OP.5053 V22 APPROVED 03/08/2023 SK Page 15









